

Control Number: 51890



Item Number: 140

Addendum StartPage: 0



Public Utility Commission of Texas

Annual Report

Required by 16 Texas Admin. Code § 25.97(f)

RECEIVED

2021 APR 30 AM 9: 04

PUBLIC UTILITY COMMISSION
FILING CLERK

PROJECT NO. 51890

AFFECTED ENTITY: Electric Transmission Texas, LLC (ETT)

General Information

Pursuant to 16 Texas Admin. Code § 25.97(f)(1), not later than May 1 of each year, each affected entity must submit this report for the preceding calendar year. The first report must be submitted not later than May 1, 2020.

Instructions

Answer all questions, fill-in all blanks, and have the report notarized in the affidavit. If you check no in part 1.a, leave parts 1. ~~to~~ blank.

Violations resulting from, and incidents, fatalities, or injuries attributable to a violation resulting from, a natural disaster, weather event, or man-made act or force outside of an affected entity's control are not required to be reported.

Affidavit

A representative of the affected entity must swear to and affirm the truthfulness, correctness, and completeness of the information provided by attaching a signed and notarized copy of the Affidavit provided with this form.

Filing Instructions

Submit four copies (an original and three copies) of the completed form and signed and notarized Affidavit to:

Central Records Filing Clerk
Public Utility Commission of Texas
1701 N. Congress Avenue
P.O. Box 13326
Austin, Texas 78711-3326
Telephone: (512) 936-7180

Annual Report
Form Last Updated in Project No. 49827

Page 1 of 6

56D5521A-F032-4862-9C98-854C80231F40 2021/04/27 07:54:00 -8:00 Remote Notary



140

1. This part applies only to an affected entity that owns or operates overhead transmission facilities greater than 60 kilovolts.

a) Does this part 1 apply to you? Yes ☒ No ☐

b) Provide the number of identified occurrences of noncompliance with Public Utility Regulatory Act (PURA) § 38.004 regarding vertical clearance requirements of the National Electrical Safety Code (NESC) for overhead transmission facilities.

ETT recorded zero occurrences of noncompliance with PURA § 38.004 regarding vertical clearance requirements of the National Electrical Safety Code (NESC) for overhead transmission facilities during the reporting period. To create a modern and accurate record upon which to assess compliance, ETT continues to perform LiDAR inspection of all transmission lines greater than 60 kV, as described in the Company's report in PUC Project No. 50594, including analysis of data collected during aerial surveys.



c) Do you have actual knowledge that any portion of your transmission system is not in compliance with PURA § 38.004 regarding vertical clearance requirements of the NESC for overhead transmission facilities?

No, ETT does not have any actual knowledge that any portion of its transmission system is not in compliance with PURA § 38.004 regarding vertical clearance requirements at the conclusion of the reporting period.

d) Do you have actual knowledge of any violations of easement agreements with the United States Army Corps of Engineers relating to PURA § 38.004 regarding vertical clearance requirements of the NESC for overhead transmission facilities?

No, ETT has no actual knowledge of any violations of easement agreements with the United States Army Corps of Engineers relating to PURA § 38.004 regarding vertical clearance requirements of the NESC for overhead transmission facilities during the reporting period.



2. This part applies to an affected entity that owns or operates overhead transmission facilities greater than 60 kilovolts or distribution facilities greater than 1 kilovolt.

- a) Provide the number of fatalities or injuries of individuals other than employees, contractors, or other persons qualified to work in proximity to overhead high voltage lines involving transmission or distribution assets related to noncompliance with the requirements of PURA § 38.004.

During the reporting period, ETT had no fatalities or injuries of individuals other than employees, contractors, or other persons qualified to work in proximity to overhead high voltage lines involving transmission or distribution assets related to noncompliance with the requirements of PURA § 38.004.



b) Provide a description of corrective actions taken or planned to prevent the reoccurrence of fatalities or injuries described in subpart a), immediately above.

Not applicable. See response to 2. a).




Affected Entity: Electric Transmission Texas, LLC (ETT)

PROJECT NO. 51890

AFFIDAVIT

I swear or affirm that I have personal knowledge of the facts stated in this report or am relying on people with personal knowledge, that I am competent to testify to them, and that I have the authority to submit this report on behalf of the affected entity. I further swear or affirm that all statements made in this report are true, correct, and complete.


Signed on 2021/04/07 11:09:14 -0500

Signature

Kip M. Fox
Printed Name

President
Job Title

Electric Transmission Texas, LLC (ETT)
Name of Affected Entity

Sworn and subscribed before me this 27th day of April, 2021.
Month Year




Signed on 2021/04/07 11:09:14 -0500

Notary Public in and For the State of OHIO

My commission expires on April 29, 2024





K.Fox_Annual_Report_Form for 2021.pdf

DocVerify ID: 56D5521A-F032-4862-9C98-854C80231F40

Created: April 27, 2021 07:54:00 -8:00

Pages: 6

Remote Notary: Yes / State: OH

This document is a DocVerify VeriVaulted protected version of the document named above. It was created by a notary or on the behalf of a notary and it is also a DocVerify E-Sign document, which means this document was created for the purposes of Electronic Signatures and/or Electronic Notary. Tampered or altered documents can be easily verified and validated with the DocVerify veriCheck system. This remote online notarization involved the use of communication technology.

Go to www.docverify.com at any time to verify or validate the authenticity and integrity of this or any other DocVerify VeriVaulted document.

E-Signature Summary

E-Signature 1: Kip M. Fox (KMF)

April 27, 2021 11:09:14 -8:00 [855C77795245] [167.239.221.84]
kmfox@aep.com (Principal) (Personally Known)

E-Signature Notary: S. Smithhisler (SRS)

April 27, 2021 11:09:14 -8:00 [691478E453C7] [161.235.221.83]
srsmithhisler@aep.com
I, S. Smithhisler, did witness the participants named above electronically sign this document.

